

**Young Adult Prevention Initiative, Fairfield County**  
**Ohio Strategic Prevention Framework (SPF) Community Logic Model**  
**Priority Substance: Misuse of Prescription Drugs**  
**Sub- Target Population: 18-25 year olds living in Pickerington, Ohio**

<b>Problem Statement</b>		
<i>Prescription drug misuse is a concern in the Pickerington community. (Data Source: Fairfield County, OH Young Adult Survey, 2012)</i>		
<b>Description of the Issue</b>	<b>Intervening Variables</b>	<b>Strategies</b>
<p><b>Lifetime Misuse of Prescription Drugs</b></p> <ul style="list-style-type: none"> <li>56.9% of Pickerington 18-25 year olds report that they have never used a prescription medication (such as Oxycontin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax) that was not prescribed for them (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> <li>Of those who reported misusing prescription medication, 27.4% reported misusing prescription drugs 20 or more times in their lives (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> </ul> <p><b>Age of First Misuse of Prescription Drugs</b></p> <ul style="list-style-type: none"> <li>Of those who reported misusing prescription medication, 34.7% reported age of first misuse between 18-25 years of age (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> </ul> <p><b>Misuse of Prescription Pain Medication</b></p> <ul style="list-style-type: none"> <li>18.2% of Pickerington 18-25 year olds lifetime misuse of prescription pain medication (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> <li>Of those who reported misusing prescription pain medication, 6.25% reported chronic misuse (daily or weekly misuse) (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> </ul> <p><b>Misuse of Prescription Sedative/Anxiety Medication</b></p> <ul style="list-style-type: none"> <li>11.9% of Pickerington 18-25 year olds reported lifetime misuse of prescription sedative/anxiety medication (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> <li>Of those who reported misusing prescription sedative/anxiety medication, 23.8% reported chronic misuse (daily or weekly misuse) (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> </ul> <p><b>Misuse of Prescription Stimulant Medication</b></p> <ul style="list-style-type: none"> <li>14.8% of Pickerington 18-25 year olds reported lifetime misuse of prescription stimulant medication (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> <li>Of those who reported misusing prescription stimulant medication, 11.5% reported chronic misuse (daily or weekly misuse) (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> </ul> <p><b>Misuse of Prescription Sleeping Medication</b></p> <ul style="list-style-type: none"> <li>9.1% of Pickerington 18-25 year olds reported lifetime misuse of prescription sleeping medication (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> <li>Of those who reported misusing prescription sleeping medication, 6.3% reported chronic misuse (daily or weekly misuse) (Data Source: Fairfield County, OH Young Adult Survey, 2012).</li> </ul>	<p><b>Community leaders are in need of evidence based knowledge and resources.</b></p> <ul style="list-style-type: none"> <li>Protective Factor: Community leaders have started to take action.</li> <li>Risk Factor: Current efforts are in need of enhanced capacity, resources and prevention knowledge to implement effective evidence based prevention. (Data Source: Pickerington Tri-Ethnic Community Readiness Survey, 2012).</li> <li>The community's total calculated readiness score was a 3.52 placing the community in the Vague Awareness Stage on the community readiness scale. <ul style="list-style-type: none"> <li>Protective Factor: Most feel that there is a local concern.</li> <li>Risk Factor: There is no immediate motivation to do anything about it. (Data Source: Pickerington Tri-Ethnic Community Readiness Survey, 2012).</li> </ul> </li> <li>The dimensions 'Community Efforts' (score =4.5) and 'Leadership' (score=4.1) were the highest dimensions. <ul style="list-style-type: none"> <li>Protective Factor: There is recognition by the community that there are people addressing the issue in the community.</li> <li>Risk Factor: Prevention efforts are not focused or detailed. (Data Source: Pickerington Tri-Ethnic Community Readiness Survey, 2012).</li> </ul> </li> <li>The dimension 'Resources Related to the Issue' (score=2.7), and 'Community Knowledge About the Issue' (score 2.9) were the lowest. <ul style="list-style-type: none"> <li>Risk Factors: The majority of community members lack knowledge about the causes of the problem, consequences, and how it impacts the community. Additionally the community currently has a low amount of resources (ex: people, time, money, space) actively supporting efforts.(Data Source: Pickerington Tri-Ethnic Community Readiness Survey, 2012).</li> </ul> </li> </ul>	<p>Using <b>community-based processes</b> to enhance capacity and infrastructure to support the development of <b>policies/best practices</b> for community prevention.</p>